
Peripherally Induced Reconditioning of the Central Nervous System: Proposed Mechanisms for Sustained Relief of Chronic Pain **Following 60-Day Percutaneous Peripheral Nerve Stimulation Treatment**

Timothy R. Deer, MD¹, Sam Eldabe, MD², Steven M. Falowski, MD³, Marc A. Huntoon, MD⁴, Peter S. Staats, MD⁵, Isaac R. Cassar⁶, Nathan D. Crosby, PhD⁶, Joseph W. Boggs, PhD⁶ PA, ⁴Anesthesiology, Virginia Commonwealth University Medical Center, Richmond, VA, ⁵Premier Pain Centers, Shrewsbury, NJ, ⁶SPR Therapeutics, Cleveland, OH, USA

BACKGROUND

- Peripheral nerve stimulation (PNS) can be an effective tool for the treatment of chronic pain, and recent years have seen the advancement of various PNS features and techniques intended to overcome many of the limitations of conventional PNS.
- Recent clinical evidence: significant reductions in pain often persist well beyond the end of treatment (EOT) following up to 60-day percutaneous PNS treatments, ² 5 outcomes which have not previously been observed with $\frac{d}{d}$ $\frac{d}{d}$ 2 conventional permanently implanted systems.¹⁻⁹



- The primary somatosensory cortex (S1) is dynamic and can substantially change as a result of shifts in afferent input.¹⁰⁻²¹ Maladaptive cortical plasticity that contributes to chronic pain can be reconditioned.
- This review summarizes the potential mechanisms by which selective large diameter afferent fiber activation may recondition maladaptive CNS changes associated with chronic pain to induce a prolonged reduction in pain and avoidance of a permanent implant.

LITERATURE REVIEW


• This review is based on searches of published literature on PubMed, Google Scholar, and Web of Science and the authors' familiarity with the published literature in their respective fields, including preclinical and clinical articles related to chronic pain, neurostimulation, peripheral nerve stimulation, and cortical plasticity.

unintended discomfort (e.g., motor

Remote selective targeting produces focal and robust signals by selectively activating target fibers.

- Capacity for selectively activating targeted sensory fibers increases with a PNS system and leads designed for remote selective targeting.
- Remote selective targeting is a function of multiple factors, including:
 - •Large monopolar electrode
 - Waveform design
 - •Lead placement remote from the nerve (e.g., 0.5-3 cm)


Generation of focal and robust peripheral signals may enable sustained relief without requiring permanent implantation.




Pre-treatment

REFERENCES

TD, SF, and PS have consulted for SPR Therapeutics. The institutions of TD and PS have received research funding from SPR Therapeutics. TD, SF, and PS hold minor equity in SPR Therapeutics. IC, NC, and JB are employees of SPR Therapeutics.





During 60-day treatment

Post-60-day treatment

2014; ²Chae et al., 2013; ³⁻⁴Wilson et al., 2014a, 2014b; ⁵Kapural et al., 2018; ⁶⁻⁹Gilmore et al., 2018a, 2018b. 2019. 2020: ¹⁰Buonomano & Merzenich. 1998: ¹¹Flor et al., 1997: ¹²Flor et al., 2001: ¹³Gustin et al., 2012: ¹⁴Hummel & Cohen, 2005; ¹⁵Jenkins et al., 1990; ¹⁶Kuner & Flor, 2017; ¹⁷Maihofner et al., 2004; ¹⁸Mosely & Flor, 2012; ¹⁹Recanzone et al., 1990; ²⁰Ridding & Rothwell, 1999; ²¹Wu et al., 2005.